EXPRESS MAIL NO. EV348173445US

APPENDIX I

EXHIBITS

Private and Confidential

Summary

- A condition or the absence of a condition is detected by the visualization of discriminatory markers captured concurrently by binding partners bound to a solid phase
- When specific sets of markers are expressed by their binding partner, a disease specific pattern is observed
- By way of example, four different leukaemia sub-types are presented based on their expression of specific markers (Exhibits 1 to 5)

11- 7-03 11:37 # 9/ 21

Pattern Recognition Concept for Leukaemia



Exhibit 1

[redacted]

[redacted]

Private and Confidential

MEDSAIC

FAXA3B8 [file://C:\Documents and Settings\johnol\Local Settings\Temporary Internet Files\OLKD\FAXA3B8.TIF]
11- 7-03;11:37 ;
10/ 21

A T-cell Lineage Pattern



Exhibit 2

[redacted]

Privat and Confid ntial

MEDSAIC

FAXA3B8 [file://C:\Documents and Settings\johno\Local Settings\Temporary Internet Files\OLKD\FAXA3B8.TIF]
11- 7-03;11:37 ;
11/ 21
Page 11 of 21

A B-cell Lineage Pattern



Exhibit 3

[redacted]

[redacted]

Private and Confidential

MEDSAIC

FAXA3B8 [file://C:\Documents and Settings\John\Local Settings\Temporary Internet Files\OLKD\FAXA3B8.TIF]
11- 7-03;11:37 ;
12/ 21

A Myeloid Cell Lineage Pattern



Exhibit 4

[redacted]

[redacted]

Private and Confidential

MEDSAIC

FAXA3B8 [file://C:\Documents and Settings\johnol\Local Settings\Temporary Internet Files\OLKD\FAXA3B8.TIF]
11- 7-03;11:37 ;
13/ 21
Page 13 of 21

A Stem-cell Lineage Pattern



MEDSAIC

FAXA3B8 [file://C:\Documents and Settings\johnol\Local Settings\Temporary Internet Files\OLKD\FAXA3B8.TIF]
11- 7-03;11:37 ;
14/ 21
Page 14 of 21